



NFRC Ratings - Thermal Aluminum T225 Fixed Window

Glass values are based on Aluminum Spacer

Argon gas cannot be ordered for projects located above 4,000 ft. elevation; breather tubes required.

IGU Thickness	Grid	Glass Type	Pane 2	Pane 3	Gap 1	Gap 2	Fill	U_VALUE	SHGC	VT	CPD #
1" Dual Glazed	N	Cardinal LoE-270	i89		0.528		ARGON	0.27	0.31	0.59	SOD-K35-00101-00003
1" Dual Glazed	T	Cardinal LoE-270	i89		0.528		ARGON	0.58	0.25	0.47	SOD-K35-00102-00003
1" Dual Glazed	N	Cardinal LoE-270	i89		0.528		AIR	0.30	0.31	0.59	SOD-K35-00075-00003
1" Dual Glazed	T	Cardinal LoE-270	i89		0.528		AIR	0.59	0.26	0.47	SOD-K35-00076-00003
1" Dual Glazed	N	Cardinal LoE-270	CLEAR		0.528		ARGON	0.32	0.32	0.6	SOD-K35-00095-00001
1" Dual Glazed	T	Cardinal LoE-270	CLEAR		0.528		ARGON	0.63	0.26	0.48	SOD-K35-00096-00001
1" Dual Glazed	N	Cardinal LoE-270	CLEAR		0.528		AIR	0.36	0.32	0.6	SOD-K35-00069-00001
1" Dual Glazed	T	Cardinal LoE-270	CLEAR		0.528		AIR	0.66	0.26	0.48	SOD-K35-00070-00001
1" Dual Glazed	S	Cardinal LoE-270	CLEAR		0.528		AIR	0.43	0.29	0.54	SOD-K35-00251-00001
1" Dual Glazed	N	Cardinal LoE-366	i89		0.528		ARGON	0.27	0.24	0.54	SOD-K35-00101-00002
1" Dual Glazed	T	Cardinal LoE-366	i89		0.528		ARGON	0.58	0.20	0.44	SOD-K35-00102-00002
1" Dual Glazed	N	Cardinal LoE-366	i89		0.528		AIR	0.30	0.24	0.54	SOD-K35-00075-00002
1" Dual Glazed	T	Cardinal LoE-366	i89		0.528		AIR	0.59	0.20	0.44	SOD-K35-00076-00002
1" Dual Glazed	N	Cardinal LoE-366	CLEAR		0.528		ARGON	0.32	0.24	0.55	SOD-K35-00097-00001
1" Dual Glazed	T	Cardinal LoE-366	CLEAR		0.528		ARGON	0.63	0.20	0.44	SOD-K35-00098-00001
1" Dual Glazed	N	Cardinal LoE-366	CLEAR		0.528		AIR	0.36	0.25	0.55	SOD-K35-00071-00001
1" Dual Glazed	T	Cardinal LoE-366	CLEAR		0.528		AIR	0.65	0.20	0.44	SOD-K35-00072-00001